Contents Vol. 19 (1987/1988)

Vol. 19, No. 1 (October 1987)

Sulfuric acid oxygen-pressure leaching of Ni_3S_2 prepared by a wet process
O. Kanome, H. Abe, A. Okuwaki and T. Okabe (Sendai, Japan) 1
Zinc electrowinning from flue dusts at a secondary copper smelter and connected adhesion problems of the metal deposits
R. Kammel, M. Göktepe and H. Oelmann (Berlin, Germany) 11
Oxidation of Fe(II) by oxygen in concentrated NaCl solutions: Prediction of stirred gas–liquid reactor performance from homogeneous kinetic data
G. Bouboukas, A. Gaunand and H. Renon (Fontainebleau, France) 25
The oxidative removal of organics in Bayer liquors from alumina plants using manganese dioxide ore
A.D. Stuart, T. Tran and D.A.J. Swinkels (Wallsend, N.S.W., Australia) 37
Solvent extraction of noble metals by formazans. II. The effect of *ortho*-substituents of formazans on their extraction and stripping behaviour
M. Grote, U. Hüppe and A. Kettrup (Paderborn, F.R.G.) 51
Bioleaching of nepheline
A.B. King and A.W.L. Dudeney (London, Great Britain) 69
Processing of nickel- and cobalt-containing leach liquors obtained from different raw materials
P.V.R.B. Sarma, K.S. Rao, K.C. Nathsarma and G. Roychoudhury (Bhubaneswar, India) 83
Models for the adsorption of aurocyanide onto activated carbon. Part III: Comparison between the extraction of aurocyanide by activated carbon, polymeric adsorbents and 1-pentanol
M.D. Adams (Randburg, South Africa), G.J. McDougall (Germiston, South Africa) and R.D. Hancock (Johannesburg, South Africa) 95
Synthetic inorganic ion-exchange materials. XLV. Recovery of lithium from seawater and hydrothermal water by titanium(IV) antimonate cation exchanger
M. Abe and R. Chitrakar (Tokyo, Japan) 117
Measurement of self-diffusion coefficients in extractant systems using the FT-NMR technique (*Technical Note*)
T. Wärnheim (Stockholm, Sweden) and E.Y.O. Paatero (Åbo, Finland) 129
Meeting Announcements 135

Vol. 19, No. 2 (December 1987)

Activities of water and HCl in aqueous solution systems of HCl–MCl_n including $CuCl_2$, $NiCl_2$ and $FeCl_3$
Y. Awakura, Y. Kawasaki, A. Uno, K. Sato and H. Majima (Kyoto, Japan) 137
The passivation of chalcopyrite subjected to ferric sulfate leaching and its reactivation with metal sulfides
F. Barriga Mateos, I. Palencia Pérez and F. Carranza Mora (Sevilla, Spain) 159
Kinetics and mechanism of the reductive ammonia leaching of ocean nodules by manganous ion
S. Acharya and R.P. Das (Bhubaneswar, India) 169

Computer modelling of the solvent extraction of iron by Versatic acid from aluminium nitrate solutions
M.I. Stefanakis (Athens, Greece) and A.J. Monhemius (London, Great Britain) 187
The solubility of aqueous lead chloride solutions
R.G. Holdich (Loughborough, Great Britain) and G.J. Lawson (Birmingham, Great Britain) 199
Electro-reductive stripping of cerium in the TBP-HNO_3 two-phase system
Y.-C. Hoh, T.-Y. Wei, Y.-Y. Wang and T.-M. Chiu (Lung-tan, Taiwan) 209
Kinetics and mechanism of the oxidative dissolution of a zinc sulphide concentrate in ferric sulphate solutions
F.K. Crundwell (Randburg, South Africa) 227
Hydrochloric acid-hydrogen peroxide leaching and metal recovery from a Greek zinc-lead bulk sulphide concentrate (*Technical Note*)
H.G. Vazarlis (Athens, Greece) 243
Refractory behaviour of two sphalerite concentrates to dissolution in ferric sulphate solutions (*Technical Note*)
F.K. Crundwell (Randburg, South Africa) 253
Reaction kinetics for the leaching of iron oxides in diasporic bauxite from the Parnassus-Giona Zone (Greece) by hydrochloric acid (*Technical Note*)
Y. Paspaliaris and Y. Tsolakis (Athens, Greece) 259
Meeting Announcement 267

Vol. 19, No. 3 (January 1988)

Solvent extraction of metals with carboxylic acids — Theoretical analysis of extraction behaviour
D. Pouillon and F.M. Doyle (Berkeley, CA, U.S.A.) 269
Solvent extraction of metals with carboxylic acids — Coextraction of base metals with Fe(III) and characterization of selected carboxylate complexes
F.M. Doyle, D. Pouillon (Berkeley, CA, U.S.A.) and E.A. Villegas (Belo Horizonte, Brazil) 289
Separation of D2EHPA and M2EHPA
S. Acharya and A. Nayak (Bhubaneswar, India) 309
Gold desorption from activated carbon with dilute NaOH/organic solvent mixtures
F. Espiell, A. Roca, M. Cruells and C. Núñez (Barcelona, Spain) 321
Hydrogen stripping of copper from LIX 65N
M. Navarro Hernandez and P.A. Distin (Montreal, Quebec, Canada) 335
Residence time selection in liquid membrane permeation for copper recovery
H.J. Bart, J. Draxler and R. Marr (Graz, Austria) 351
Gold and silver extraction by ammoniacal thiosulfate leaching from a rhyolite ore
D. Zipperian, S. Raghavan (Tucson, AZ, U.S.A.) and J.P. Wilson (Sahuarita, AZ, U.S.A.) 361
The synthesis of crystalline scorodite, $FeAsO_4 \cdot 2H_2O$
J.E. Dutrizac and J.L. Jambor (Ottawa, Ontario, Canada) 377
Dissolution kinetics of colemanite in SO_2-saturated water (*Technical Note*)
M.M. Kocakerim and M. Alkan (Erzurum, Turkey) 385
Equilibria in the solvent extraction of indium(III) from nitric acid with acidic organophosphorus compounds (*Technical Note*)
K. Inoue, Y. Baba and K. Yoshizuka (Saga, Japan) 393
Author Index Vol. 19 402